

SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES & TECHNOLOGY THIRUVANANTHAPURAM—695 011, INDIA.

(An Institute of National Importance under Govt.of India)
Phone—(91)0471—2443152 Fax—(91)0471—2446433, 2550728
Email-sct@sctimst.ac.in Web site—www.sctimst.ac.in

ROLL NUMBER	

WRITTEN TEST FOR THE POST OF PSYCHOLOGIST - A

DATE: 15/07/2017

TIME: 09.30 AM

DURATION: 90 MINUTES

TOTAL MARKS: 80

INSTRUCTIONS TO THE CANDIDATE

- 1. Write your Roll Number on the top of the Question Booklet and in the OMR sheet.
- 2. Each question carries 1 mark.
- 3. There will not be any Negative Marking.
- 4. Darken only the bubble corresponding to the most appropriate answer.
- 5. Marking more than one answer will invalidate the answer.
- 6. Candidate should sign on the question paper and OMR sheet.
- 7. Candidate should hand over the question paper and OMR sheet to the invigilator before leaving the examination hall.

Signature of the Candidate

12. T	he adrenal glands produce hormones that prepare t	he b	ody
A	. To respond to emergencies and cope with stress		
B	6. For sexual maturation and reproductive behaviou	r	
C	. To metabolize glucose and expend energy		
D). For digesting and assimilating food		
	hegoal of counselling refers to the problem f	or w	which the client is seeking solution
	ere and now.		
Α	Process	C.	Immediate
В	. Ultimate	D.	Mediate
14	is primarily an ethical concept that refers to the	ne co	unsellor's obligation to respect th
	ient's privacy, and to our promise to client that the		•
	ounselling will be protected from disclosure withou		
	. Autonomy		Confidentiality
	. Justice		Fidelity
	seems to be specialized for the recognition and		
	patial patterns of stimulation		
	Right hemisphere	C.	Frontal lobe
	Left hemisphere	D.	Temporal lobe
	the process of communication which one of the fo		-
	Communicator- message-medium-receiver-effect		8-11-11
	Message-communicator-medium -receiver-effect		
	Communicator-message-effect-receiver-medium		<u></u>
	Medium- communicator-message-effect-receiver		
	ne distinction between obsessions and compulsions		ne distinction between
	engaging in behaviors that are merely inconvenie		
	disruptive.		•
В.	having positive and negative feelings toward an o	bjec	et or event.
	thoughts that are evidence of neurosis or those th	-	
	having repetitious thoughts or engaging in repetit		
	e school of psychology which emphasizes, 'the wh		
	parts.'		<i>5</i>
	Behaviourism	C.	Functionalism
	Gestalt psychology		Structuralism
	in-depth focus on all aspects of a single person is		
	Survey method		Naturalistic observation
	Case study		Participant observation
	e microscopic space between two neurons over wh		
	Soma B. Synapse C. Axo		D. Dendrites
	speech disturbance resulting from brain damage:		Z. Zimilos
	Alexia	C	Aphasia
	Agraphia		Acalculia
D.	1 Brapana		

22. An inability to grasp the meaning of stimuli	, such as words, objects, or pictures.
A. Alexia B. Aphasia	C. Agraphia D. Agnosia
23. A system in the forebrain that is closely link	ed with emotional response is known as:
A. Thalamus	C. Hippocampus
B. Limbic system	D. Amygdala
24. Segments of DNA that serve as biological b	blueprints, shaping development and all basic
bodily processes.	
A. Heredity B. Genes	C. Cells D. Tissue
25. The difficulty in recognizing melodies or pr	roblems in distinguishing non-language sounds
from one another, may result from damage	to the
A. Parietal lobe association area	C. Temporal lobe association area
B. Frontal lobe association area	D. Occipital lobe association area
26. Psychological disorders in which individual	
that are much more extreme and prolonged	than is true of most people.
A. Anxiety disorders	C. Mood disorders
B. Delusional disorders	D. Sleep disorders
27. Thurstone's factorial analysis theory lies be	tween the theories of spearman and
A. Guilford B. Thorndike	C. Simon D. Binet
28 views intellectual development as ar	
understanding the laws of nature, the principal	
A. Bruner B. Piaget	C. Guilford D. Spearman
29. According to Cattel, key dimensions of pers	
A. Cardinal traits	C. Secondary traits
B. Source traits	D. Primary traits
30. A genetically based disorder in which perso	
phenylalamine, a substance present in many	
phenylalanine levels contributes to subseque	
A. ADHD B. Tic disorder	C. PTSD D. PKU
31 is a technique for measuring the elec	ctrical activity of the brain via electrodes placed
at specified locations on the skull	
A. Electroencephalography	C. Electroneurography
B. Electromonography	D. Magnetic Reasoning Image
32. Which is the brain area of comprehension of	
A. Broca's area	C. Wernicke's area
B. Sympathetic nervous system	D. Hypothalamus
33. A sleep disorder in which individuals actual	
A. Narcolepsy B. Apathy	C. Insomnia D. Somnambulism
34. Which law suggest that the level of arousal l	beyond which performance begins to decline is a
function of task difficulty?	
A. Weber's Law.	C. Yerkes-Dodson Law.
B. Law of Effect.	D. Fechner's Law.

35. A genetically based fatal neuromuscular dis	sorder characterized by the gradual onset of
jerky, uncontrollable movements.	
A. Huntington's Disease.	C. Cataplexy.
B. Asperger's syndrome.	D. Cerebral palsy.
36. Firmly held beliefs that have no basis in rea	lity.
A. Hallucination.	C. Illusions.
B. Delusions.	D. Subliminal Perception.
37. Memory for factual information that we acq	uired at a specific time.
A. Procedural memory.	C. Semantic Memory.
B. Working Memory.	D. Episodic Memory.
38. Strategies for helping people to remember in	nformation, usually involving cues such as
rhyme or imagery.	
A. Schema.	C. Algorithm.
B. Heuristics.	D. Mnemonics.
39. A personality trait characterized by feelings	of anxiety, tension, anger and or depression.
A. Pessimism.	C. Neuroticism.
B. Optimism.	D. Psychoticism.
40. The reduction in individual effort that can of	ccur in tasks when only group performance i
measured.	
A. Social inhibition.	C. Social loafing.
B. Social facilitation.	D. Social mobility.
41. Eating or chewing on inedible objects or sub	stances such as chalk, ashes, and the like.
A. Enuresis.	C. Encopresis.
B. Pica.	D. Anorexia nervosa.
42. A device for recording heart rate, blood pres	sure, respiration, and galvanic skin response
commonly called a "lie detector".	
A. Polygraph B. Elisa test	C. Ishihara test D. Digit span test
43. Which of the following personality disorders	
extremely unstable self-image, is moody, and	d does not develop stablerelationships?
A.borderline	C. schizoid
B. histrionic	D. narcissistic
44. The mechanism to cope with anxiety by shif	ting the discharge of impulses from a
threatening object to a safer target is:	
A. Regression.	C. Displacement.
B. Introjection.	D. Identification.
5. A compulsion, sometimes observed in autistic	children, to repeat everything that is said.
A. Parroting.	C. Echolalia.
B. Paraphrasing.	D. Echopraxia.
6. Perception of a stimulus below the threshold	for conscious recognition is known as:
A. Extra sensory perception.	C. Illusion.
B. Subliminal perception.	D. Perceptual defense.

47 test is used to identify Colour blindness	S.
A. Coloured Progressive Matrices.	C. Letter Cancellation Test.
B. Bender Gestalt Test.	D. Ishihara test.
48studies how behaviour is modified	and how people retain these modifications
A. Industrial Psychologist	C. Educational Psychologist
B. Clinical Psychologist	D. Experimental Psychologist
49. The process through which one or more per	
A. Attribution.	C. Magical thinking.
B. Persuasion.	D. Schema.
50. According to Karen Horney, children's feat	r of being left alone, helpless, and insecure is:
A. Generalized Anxiety.	C. Empty Nest Syndrome.
B. Moral Anxiety.	D. Basic Anxiety.
	nich a series of x-ray images are synthesized and
analyzed by computer	nen a series of x ray images are synthesized and
A. MRI B. CT C. EE	G D. CP
52. One method of deactivation in neurotransm	
which trigger chemical reactions that break	
A. Enzymes B. Reuptake	
53. A form of learning in which reflex response	es are associated with
new stimuli is known as:	0.01
A. Operant conditioning.	C. Observational learning.
B. Classical conditioning.	D. S-R Theories.
54. Reducing fear or anxiety by repeatedly expo	osing a person to emotional stimuli while the
person is deeply relaxed is known as:	
A. Free association	C. Desensitization
B. Flooding	D. Meditation
55. A PET scan involves the injection of	
A. Radioactive Sugar B. Iodine	C. Metal Particles D. Xenon Gas
66. The temporary inability to remember somet	ning you know, accompanied by a feeling that
	C Time Call to the L
A. Decay	C. Tip-of-the-tongue phenomenon
B. Amnesia	D. Elaboration
77. If a person suffering from schizophrenia has an	
A. will have a 46 percent chance of becoming s	
B. will be no more likely than anyone else to b	ecome scrizophrenic
C. is almost sure to become schizophrenicD. is also likely to have more than one persona	lity
68. Memories centered on a specific, important,	
they represented a snapshot of the event is k	
A. Schemas	C. Autobiographical memories
B. Flashbulb memories	D. Explicit memory

59is a disease that afflicts long-term	alcoholics, leaving some abilities intact, but
including hallucinations and a tendency to re	peat the same story.
A. Korsakoff's syndrome	C. Retrograde amnesia
B. Anterograde Amnesia	D. Alzhemer's disease
60. Unacceptable or unpleasant impulses are pus	hed back into the unconscious is
A. Repression B. Regression C. Sub	limation D. Projection
61. True paranoids are rarely treated or admitted to h	ospitals because
A. they are potentially harmful and dangerous to	others.
B. they resist the attempts of others to offer help	
C. their severe hallucinations make reasoning w	
D. psychiatric hospitals are primarily for psycho	
62. Most animals and humans are said to become	
A. Cerebrum	C. Pons
B. Thalamus	D. Cerebellum
63 controls activities of the autonomic	nervous system which is concerned with
vegetative and emergency functions.	
A. Pons	C. Cerebellum
B. Medulla oblongata	D. Cerebrum
64. What is the Latin meaning of the term 'medul	
	C. Little brain D. Fore brain.
65. On Wechsler scales intelligence was found to	
	C. 20 D. 22
66. A researcher seeking an organic basis for schizo	phrenia would be well-advised to investigate the
role of:	
A. amphetamines and amphetamine receptors	
adrenaline and noradrenaline histamine and antihistamine	
D. dopamine and dopamine receptors	
67. A much-feared outcome of Alzheimer's disease	se is
A. Functional Psychosis	C. General Paresis
B. Paranoia	D. Senile Dementia
68. Multiple personality or dissociative identity of	
A. As a result of combat exhaustion	moraer orten oog
B. In adulthood as a response to unremitting	phohias
C. As a consequence of post-traumatic stress	-
D. In childhood as a result of unbearable exp	
69. The ability of the brain to adapt to deficits or injur	
A. Plasticity B. Proximity	C. Unlearning D. Learning
70. Retreat from reality by hallucinations and delu	
typically characterizes	
A. somatoform disorders	C. psychotic disorders
B. anxiety disorders	D. personality disorders
D. anticly disorders	personally allocated

Page 6 of 7

71 counselling, aims to assist individuals w	
emotional abilities to achieve their personal, care	er, and independent living goals in a systematic
manner.	
A. Developmental counselling	C. Crisis Counselling
B. Alcoholic Counselling	D. Rehabilitation Counselling
72. Which of the following is related to recent at	tempts to find biochemical explanations for
schizophrenia?	
A. Schizotaxin	C. Dopamine
B. Psychotropin	D. Diazepam
73. A rare condition in which separate personalit	ies exist in the same person is called
A. Dissociative Identity Disorder.	C. Schizophrenia.
B. Split Personality.	D. Amnesia
74. Persons who are excessively narcissistic, dep	endent, or antisocial are characterized as
having	
A. Somatoform disorders.	C. Conversion Reactions.
B. Generalized Anxiety.	D. Personality Disorders
75. Parkinson's disease results from the death of	neurons that produce
A. Serotonin	C. Dopamine
B. Acetylcholine	D. Norepinephrine
76. An unusual state called "waxy flexibility" is s	sometimes observed inschizophrenia.
A. Borderline B. Disorganized	C. Catatonic D. Paranoid
77. Which of the following medical conditions	can produce a mild neurocognitive disorder
and mild impairments in social/occupational	functioning?
A. Parkinson's disease	C. Creutzfeldt-Jakob disease
B. Huntington's disease	D. HIV
78. The 'Hot Seat' technique comes undercouns	selling.
A. Gestalt counselling	C. Narrative Therapy
B. The Adlerian counselling	D. Behavioural counselling
79. When a person's sexual identity does not mate	
A. Paraphilia	C. Gender Identity Disorder
B. Sexual Dysfunction	D. Androgyny
80. It has been discovered that all major anti-psy	chotic drugs:
A. Block the action of dopamine	C. Increase levels of dopamine
B. Facilitate the action of dopamine	D. Decrease levels of dopamine

PSYCHOLOGIST - A -ANSWER KEY (15/07/2017)

1	С	31	A	61	В
2	A	32	С	62	C
3	A	33	D	63	В
4	В	34	C	64	В
5	С	35	A	65	С
6	A	36	В	66	D
7	В	37	D	67	D
8	В	38	D	68	D
9	D	39	С	69	A
10	Α	40	c	70	C
11	D	41	В	71	В
12	A	42	A	. 72	C
13	C	43	A	73	A
14	C	44	C	74	D
15	A	45	C	75	C
16	A	46	В	76	C
17	D	47	D	77	D
18	В	48	D	78	A
19	В	49	В	79	C
20	В	50	D	80	A
21	Ċ	51	В		
22	D	52	A		
23	В	53	В		
24	В	54	C		
25	C	55	A		
26	C	56	C		
27	В	57	A		
28	В	58	В		
29	В	59	A		
30	D	60	A		